

# OTTOKIND

## CLEAN AND TOOL SHUTTLE

Ergonomic workplace systems adapted to individual requirements





# good reasons for OTTO KIND

---

## 1 OTTOKIND-catalogues

Complete furniture solutions for Factory | Warehouse | Archive. Our catalogues give you an insight into how perfect our products could be for you.

---

---

## 2 OTTOKIND-consulting

Locations all over the globe, with expert advice available in English, German and other languages.

---

---

## 3 OTTOKIND-planning

See your solution before you decide. Our expert design team will give you a 3D view with their ergonomic expertise and knowledge of existing regulations and standards.

---

---

## 4 OTTOKIND-production

High quality branded products "made in Germany". Production using flexible machinery enables you to receive bespoke, requirement-specific systems!

---

---

## 5 OTTOKIND-deliveries

Dependable direct delivery to the end user. Reliable service packages from our logistics partners mean that you can feel secure in the knowledge that your delivery will arrive safely.

---

---

## 6 OTTOKIND-assembly

Quick and professional fitting on site. Our installation team ensures that your equipment is secure, safe and ready to use.

---

# We guarantee top OTTOKIND quality

## Full service from a single source

We support our customers from project planning to final assembly.  
We manufacture special designs - just like our system solutions - in-house.  
This enables us to meet all of your needs from concept until completion.

## Environmentally friendly procedure

In order to protect the environment, we deploy efficient powder coating equipment.  
Because all our products are supplied from our premises in Germany, we can ensure that the quality is always perfect.

## State-of-the-art production

OTTOKIND has stood for proven product quality and high quality branded products „made in Germany“ for more than 100 years. For this, we use our flexible machinery.

## Certified OTTOKIND quality



### DIN EN ISO 9001: 2008

The manufacturing processes for our steel products are subject to a quality management system which meets the requirements of DIN EN ISO 9001:2008. This also applies to the entirety of the sales and marketing structure as well as all processes in the company. Our certification was carried out by DQS GmbH, Frankfurt.



### RAL-RG 614

The RAL-RG 614 quality seal from the Gütegemeinschaft Lager- und Betriebseinrichtungen e.V. (Quality Association for Warehouse and Factory Equipment) for our shelving, drawer cabinets and lockers product lines confirms our

- compliance with the current requirements relating to loading and product safety
- use of materials that comply with the relevant standards
- development, production and assembly are performed exclusively by qualified staff
- inspections by independent testing institutes ensure that consistent product quality is maintained.



### BGR 234 (Employers' Liability Insurance Association Guideline 234)

OTTOKIND warehouse equipment complies with the safety guidelines for warehouse facilities and equipment from the commercial employers' liability insurance associations.



## Equipment options

The OTTOKIND Clean and Tool Shuttles are mobile, universal supply stations. They are suitable for tools, detergents or generally for goods that need to be transported quickly within the company.

OTTOKIND Clean und Tool Shuttles are not specified for a single purpose.

The square and slotted holes in the vertical walls accommodate commercially available tool holders and many different equipment options from the OTTOKIND system modules. The flexibility makes it possible to cover many different uses with a single system and to adapt quickly to new requirements if necessary. The optional pagoda roof prevents objects being stored on top of the housing. It gives a fresh, colorful emphasis - also with logo on request! The high-quality welded sheet steel construction guarantees a long service life and ensures high durability.


- can be used for mobile cleanliness and mobile tools
- Stable, welded sheet steel construction
- environmentally friendly powder coating, fired at 180° C
- central wall and outsides with square and slotted holes for tool holders and various equipment elements
- square holes 10 x 10 mm in a grid of 38 mm
- 4 rolls with 125 mm diameter, solid rubber tread, traceless, with total lock and thread protection
- 4 integrated handles ensure safe handling
- with or without pagoda roof, standard roof: with OTTOKIND logo or without logo, with your own logo on request
- central partition at 300 mm or offset, asymmetrical partition at 400 | 200 mm
- total load 300 kg

W x D x H: 745 x 650 x 1720 mm

### VARIETY OF COLOURS




#### Clean and Tool Shuttle - central partition




Partition at 300 mm  
Usable depth per side 300 mm

Layouts:



Width	Usable width	Depth	Height	No.
745	740	650	1720	<b>719900</b>

#### Clean and Tool Shuttle - asymmetrical partition



Partition at 400 mm  
Usable depth 400 und 200 mm

Layouts:



Width	Usable width	Depth	Height	No.
745	740	650	1720	<b>719910</b>

## Accessories and equipment options


### Pagoda roof



Stable, welded sheet steel construction, environmentally friendly powder coating, with your logo as an option - on request

Width	Depth	Height	Design	No.
745	650	120	without logo	<b>719940</b>
745	650	120	OTTOKIND logo	<b>719950</b>


### Slatted shelves including shelf support



Can be supplied in 4 depths, 1 - 4 pieces arranged on a pair of supports, inclinable  $-16^{\circ}/+10^{\circ}$ , closure with front stop bar possible

		Width 625 mm
Inclination	Depth	Standard
- 16°	107	<b>573000</b>
- 16°/+ 10°	214	<b>573010</b>
	321	<b>573020</b>

### Partition support



Can be moved laterally

Depth	Height	No.
214	164	<b>573310</b>
321	164	<b>573320</b>


### Separating grid set for slatted shelf



Dividing set for slatted shelf, 3 sections  
WxDxH: 625 x 214 x 110 mm  
chrome-plated

Design	Width	No.
chrome-plated	625	<b>671070</b>

### Stop bar for slatted shelves



As stop for slatted shelf, can be inserted, chrome-plated

Design	Width	No.
chrome-plated	625	<b>573150</b>


### Shelf



Shelf - 30 mm thick with continuous holes in a grid of 30 mm to accommodate separator plates, with shelf supports

Width	Depth	Thickness	Load	No.
740	300	30	195 kg	<b>719960</b>
740	400	30	160 kg	<b>719970</b>

### Slatted shelves including divider pieces



With holes at a distance of 75 mm for plug-in divider pieces

Incl. shelf supports and divider pieces

Design	Width	Depth	No.	
Standard	4 divider pieces	625	107	<b>573280</b>
Standard	4 divider pieces	625	214	<b>573290</b>
Standard	4 divider pieces	625	321	<b>573240</b>

### Divider pieces for shelf slat



Can be inserted into shelf slat

Design	Height	No.	
galvanized	For slat 107 mm deep	200	<b>568100</b>
galvanized	For slat 214 mm deep	300	<b>568110</b>
galvanized	For slat 321 mm deep	400	<b>568120</b>

### Separating grid for slatted shelf, individual



Single partition for dividing set  
DxH: 214 x 110 mm, chrome-plated

Design	Width	No.
chrome-plated	214	<b>671080</b>

### Metal waste bin




Waste bin, 50l, white  
Swivel lid  
WxDxH: 341 x 258 x 706 mm

Design	No.
RAL 9010	<b>719911</b>

## Accessories and equipment options

### Parts container rail



Aluminum profile can be used on four sides, to accommodate commercially available storage boxes with rear mounting edge, inclinable 19°, can be inserted

Width	Depth	Height	No.
625	20	60	571780

### Paper roll holder



Width up to 430 mm and bushing diameter 71-73 mm, red-black

Design	No.
red/black	719901

### Dustpan set



Consisting of: dustpan, hand brush, broom 300 mm, with handle  
Please order hole hook separately

Design	No.
Industry	719921

### Holder for adhesive tape dispenser



With magnet  
WxDxH: 120 x 135 x 265 mm

Design	No.
RAL 7035	574890



## Accessories and equipment options

### Tool holder slanted



Length	No.
50	579012
100	579013
150	579014
200	579015

### Tool holder vertical



Length	No.
35	579016
75	579017
125	579018

### Tool holder double



Length	No.
35	579020
75	579022
150	579023

### Tongs holder



Width	No.
35	579038
55	579039
75	579040

### Tool terminal double



Ø	No.
6	579029
10	579030
13	579031
16	579032
19	579033

### Tool clamp



Ø	No.
6	579024
10	579025
13	579026
16	579027
19	579028

### Base plate



Design	No.
1st attachment point	579048
2nd attachment point	579049

### Drill/Allen wrench holder



Design	Width	Depth	Height	No.
For 14 parts	200	30	35	579054
For 28 parts	390	30	35	579055

### Wrench holder



For 8 wrenches

Width	Depth	Height	No.
130	150	50	579073

### Open-fronted storage box holder



For 1 box

No.
579075

## Accessories and equipment options

### Machine holder



Ø	No.
40	579069
60	579070
80	579071

### Cable holder



Width	Depth	Height	No.
37	150	50	579081
37	200	50	579082

### Form holder DIN A4



RAL 7035 light grey

Width	Height	No.
220	310	556310

### Screwdriver holder



Aluminum colors

Design	Width	Depth	Height	No.
For 6 parts	200	30	40	579056
For 12 parts	390	30	40	579057


### Allen wrench holder



For 9 wrenches, aluminum colors

Width	Depth	Height	No.
200	25	70	579061

### Folding frames



Info element with folding panels DIN A4, incl. mounting material

Attachment	No.
5 folding panels	568015



## Accessories and equipment options


### Simple steel sheet shelves



Can be mounted in the lateral slots from outside  
Sheet steel painted  
brilliant silver

Width	Depth	Height	No.
347	440	18	556700


### Bottle holder



Can be mounted in the lateral slots from outside  
for two bottles, each 1,5 L  
painted sheet steel, brilliant silver

Width	Depth	Height	No.
130	250	150	556720


### Simple hook



Can be mounted in the lateral slots from outside  
For briefcase, painted sheet steel, brilliant silver

Width	Depth	No.
25	140	556740


### Drawing holder



Can be mounted in the lateral slots from outside  
Sheet steel painted in brilliant silver, for 3 drawings

Width	Depth	No.
165	439	556850

### Document compartment



Can be mounted in the lateral slots from outside  
Sheet steel painted in brilliant silver, for DIN A4

Width	Height	No.
254	308	556760


### Wastepaper basket



Can be mounted in the lateral slots from outside  
Sheet steel painted in brilliant silver  
8 mm thick,  
diameter 285 mm

No.
556860

### Tray shelf with insert



Can be mounted in the lateral slots from outside  
Tray shelf made of painted sheet steel in brilliant silver  
Gray plastic, 8 recesses that can be divided  
Insert made of grey plastic, with 8 recesses that can be divided

	Width	Depth	Height	No.
Shelf	350	500	40	556710
Insert	492	344	38	508640


### Cable box with holder



Can be mounted in the lateral slots from outside  
10 m cable, with 4 Schuko sockets

Width	No.
65	556730


### Wire basket



Can be mounted in the lateral slots from outside  
zinc plated

Width	Depth	Height	No.
215	432	60	556750


### Small sheet steel shelf with edge



Can be mounted in the lateral slots from outside  
Sheet steel painted in brilliant silver

Width	Depth	No.
165	439	556870

### Mailbox




Can be mounted in the lateral slots from outside  
Sheet steel painted in brilliant silver  
3 compartments

Width	Depth	Height	No.
254	120	280	556770


## Accessories and equipment options

### System boxes, polyethylene



Type		Width mm	Depth mm	Height mm	Blue	Red	Green	Yellow	Grey
SB2	-	310	500	200	<b>642911</b> 1.3 kg	<b>642912</b> 1.3 kg	<b>642913</b> 1.3 kg	<b>642914</b> 1.3 kg	<b>552913</b> 1.3 kg
SB2Z	-	310	500	145	<b>642923</b> 1 kg	<b>642924</b> 1 kg	<b>642925</b> 1 kg	<b>642926</b> 1 kg	<b>552923</b> 1 kg
SB3	-	210	350	200	<b>642929</b> 0.8 kg	<b>642930</b> 0.8 kg	<b>642931</b> 0.8 kg	<b>642932</b> 0.8 kg	<b>552933</b> 0.8 kg
SB3Z	-	210	350	145	<b>642941</b> 0.5 kg	<b>642942</b> 0.5 kg	<b>642943</b> 0.5 kg	<b>642944</b> 0.5 kg	<b>552943</b> 0.5 kg
SB4	With rear mounting edge	150	230	130	<b>642951</b> 0.3 kg	<b>642952</b> 0.3 kg	<b>642953</b> 0.3 kg	<b>642954</b> 0.3 kg	<b>552953</b> 0.3 kg
SB5	With rear mounting edge	100	160	75	<b>642961</b> 0.1 kg	<b>642962</b> 0.1 kg	<b>642963</b> 0.1 kg	<b>642964</b> 0.1 kg	<b>552963</b> 0.1 kg
SB6	With rear mounting edge	100	85	50	<b>642971</b> 0.1 kg	<b>642972</b> 0.1 kg	<b>642973</b> 0.1 kg	<b>642974</b> 0.1 kg	<b>552973</b> 0.1 kg


### Viewing sides for system boxes



Made of polycarbonate, transparent

Type	Weight	No.
SB2	0.07 kg	<b>642821</b>
SB2Z	0.05 kg	<b>642822</b>
SB3	0.05 kg	<b>642823</b>
SB3Z	0.03 kg	<b>642824</b>
SB4	0.02 kg	<b>642825</b>
SB5	0.02 kg	<b>553526</b>


### Cover plates for system boxes



Made of polystyrene, clear

Type	Weight	No.
SB2	0.3 kg	<b>642831</b>
SB2Z	0.3 kg	<b>642832</b>
SB3	0.25 kg	<b>642833</b>
SB3Z	0.15 kg	<b>642834</b>
SB4	0.05 kg	<b>642835</b>
SB5	0.04 kg	<b>553536</b>

### Paper labels for system boxes



Paper labels with protective film

Type	VE	No.
SB2	100	<b>642811</b>
SB2Z	100	<b>642812</b>
SB3	100	<b>642813</b>
SB3Z	100	<b>642814</b>
SB4	100	<b>642815</b>
SB5	100	<b>553516</b>

# OTTO **KIND**

**OTTO KIND GmbH & Co. KG** | Hagener Str. 35 | 51645 Gummersbach | Germany  
Tel.: +49. 2261. 84-0 | Fax: +49. 2261. 84-103  
E-Mail: [info@otto-kind.de](mailto:info@otto-kind.de) | Internet: [www.otto-kind.de](http://www.otto-kind.de)

OTTO KIND GmbH & Co. KG - 95329312 | 2016  
Subject to technical modifications and errors excepted.